

Facility Technical Specifications

Mainstage Information

Stage

- Proscenium Height - 25'
- Proscenium Width - 40'
- Grid Height - 55'
- In front of main drape to curved apron furthest edge - 12'6"
- Curved apron edge to back wall - 42'7"
- Main drape to back wall - 30'
- Wall to wall onstage distance - 82'
- Stage height from 1st row floor - 38.75"
- Sprung floor with black fiberx surface
- Orchestra pit accessible from below, pit depth 8'6"
- Fire curtain at proscenium line, travel cannot be obstructed
- Nails or screws prohibited into stage floor

Fly System

- 37 single purchase fly lines Maximum line load limit - 1400 pounds
- (Lines #4, 6, 33, 35, 36, 37 - fallow)
- 2 permanent electrics with 2160-pound load limit each
- 2 secondary electrics with 1400-pound load limit each
- Fly line pipe length - 57'6"
- Fly line high trim height - 53'5"
- Double locking rail for fly system (operation by ACT staff only)

Grid Load Ratings

- C-channels point load 500lbs - maximum 150 psf live load overall
- 7" deep channels 800lbs load per lineal foot - maximum 150 psf live load overall

Wing Space

- Stage right proscenium edge to wall - 27'7"
- Stage left proscenium edge to wall - 14'
- Clear height stage right wing - 27'
- Clear height stage left wing - 27'

Loading Dock

- Ground level loading ramp (no truck height dock); recommend trucks with a power tailgate

- 2 overhead doors 7'9" x 7'9" direct access to backstage area
- Map Available upon Request

Draperies

- 10x black velour legs 28' high x 14' wide
- 3x black velour borders all 56' wide - 8', 10' and 12' high
- 1x main drape traveler flown, 2 panels each 28' high by 30" wide
- 2x black travelers flown, 2 panels each 28' high by 30' wide
- 1x white cyclorama 28' high by 56' wide
- 1x movie screen 23'8" high by 55' wide

Theatre Seating: (486 + 24 standing)

- Lower Orchestra: 356 (or 346 w/ FOH SL sound position @ back of house)
- Balcony: 130, with legal standing room for 24 people
- 8 wheelchair spaces (lower orchestra only)

Studio Theatre Information

Studio Theatre Space

- Room Dimensions 58' x 37'5"
- Double door from back stage, 5'7" wide x 8' high

Grid

- Height 23'3", load ratings of 250lb at any point, 500lb at any pipe crossing two points 15,000lb maximum load total evenly distributed
- Sprung hardwood floor
- Flexible seating for approximately 150
- Control room above rear of space

Miscellaneous Information

- The Studio Theatre has black drapes on tracks around the perimeter of the room.
- The floor is made from Brazilian Cherry wood, please treat it well.
- This is a flexible space; please consult the Technical Director or about your specific needs.
- As this room has a dead hung grid, any lighting required must be done in advance. This is necessary because access to the grid is done via a Scissor Lift. These considerations may influence your setup time in this room.
- This theatre shares the loading dock and backstage facilities with the main stage. Care will be taken by staff to plan the usage of these areas when both venues are used at once.

Facility Technical Specifications "Lighting System"

Dimming

- Main Stage 384 dimmers @ 2.4 k each (JSI CD-3000 Retrofit)
- Studio Theatre 96 dimmers @ 2.4k each (JSI CD-3000 Retrofit)

Control

- ETC Ion XE w/ 2x20 Fader Wing (Main Stage)
- ETC Ion w/ 2x20 Fader Wing (Studio Theatre)

Fixture Inventory

Mainstage (House Hang numbers)

- 18x MC PAR64 (MFL)
- 8x Ovation P56-FC PAR56 Full Colour LED
- 31x ETC Source 4 19o 750w
- 26x ETC Source 4 26o 750w
- 27x ETC Source 4 36o 750w 24x Strand 6" Fresnels
- 7x Robert Juliat Dalis 860 LED Cyc lights
- 1x Truss Trooper 1.2k Strong International Follow Spotlight
- 6x Rosco I-Cue mirrors
- 2x Rosco DMX Iris
- 4x Apollo Smart Move double gobo rotators.
- 3x Elation Platinum Spots
- 4x Chauvet R2X Wash
- 2x Chauvet R2 Spot

Studio (House Hang numbers)

- 8x MC PAR64s (MFL)
- 5x ETC Source 4 26o 750w
- 4x ETC Source 4 36o 750w
- 13x Strand 6" Fresnels

Spare Inventory:

- 2x Chauvet R2 Wash
- 8x MC PAR64s (MFL)
- 30x ETC Source 4 Bodies
- 9x 26 o Source 4 Barrel
- 10x 36 o Source 4 Barrel
- 14x 50 o Source 4 Barrel
- 10x Strand 6" Fresnels
- 2x Apollo Smart Move double gobo rotators.
- 2x 4pin DMX PSUs

Others:

- 1x Rosco Delta 3000 fog machine with DMX control (rental charge applies)
- 1x Ultratec Radiance Hazer with DMX control (rental charge applies)
- 1x 20" Mirror Ball and Motor (Mainstage)

- 1x 14” mirror ball and motor (Studio Theatre)
- Full 25-point powered Ethernet sACN/DMX network throughout the theatre

House Light Plot:

- On request, a house lighting plot can be made available.
- Alterations to the house plot must be arranged in advance and done on the user’s technical and setup time. The ACT requires that the house hang be restored at the end of the user’s final performance and during their time in the building. Please consult the Technical Director about any lighting alterations you may require for your show.
- Additional labor charges may apply.

Facility Technical Specifications “Audio System”

Main Stage

Audio System Control

- Digico SD9 48 channel digital audio desk
- 2x 32/16 Digico D Rack (MADI via Cat5)
- 40D Amplifier

Audio Playback

- 3x Tascam CD Players 1x
- Image Cue Media Server
- 1x iMac (2019) with Qlab capabilities (no license provided)

Speakers

- d&b10AL Line Array 8 Boxes Per Side (L&R)
- 4 Flown Cardioid Subs
- 4 Cardioid Ground Stack Subs
- 44S Loudspeaker Lip fill

Patching/Routing

- Fully wired patch bay with patch points located onstage, in the orchestra pit, house, and lobby

Studio Theatre

Console

- 1x Behringer X32 Compact

Speakers

- 4x QSC K12 (Flown in each corner)

Spare Inventory

Consoles:

- 1x Mackie ProFX8 mixing console
- 1x Digico S 21 1x portable Dance Playback Rack (6ch Behringer analog mixer with Denon CD players)

Speakers:

- 7x RCF NX 12-SMA
- 1x QSC KSub subwoofer 1x Mackie 450
- 6x speaker stands

Microphones and DI's:

- 8x AKG C535's
- Wireless mic package (8x lav, 4x handheld) Charges may apply
- 4x Shure SM-58
- 4x Shure Beta-58
- 4x Shure SM-57
- 2x on/off switch Shure SM-58 (or equivalent)
- 4x Audio-Technica MicroLines
- 4x Countryman Choir Mics
- 2x Sennheiser E609
- 6x JDI Jensen DI boxes
- x1 Rane Computer DI Box (RCA out)
- 1x Radial AV1 Mono DI
- 2x Radial AV2 Stereo DI
- 1x Sennheiser E 602-II kick drum Mic
- 4x Sennheiser E 604 rack/tom drum mics
- 3x Sennheiser E 614 condenser mics
- 2x Sennheiser 421

Comm

- 4 channel Clear-Com system, onstage, backstage, and throughout the building
- 8x Clear-Com RS-501 belt pack (1 channel) w/ single muff headsets
- 2 channel wireless Clear-Com system with 4 belt-pack/headset sets

Miscellaneous:

- 1x Digico Little Red Box
- 2x 40' long 8 channel digiflex snakes
- 1x 75' long 12 channel digiflex snakes
- 1x 32ch analog split snake
- 4x 2ch phantom power inserts
- Program sound & Paging to dressing rooms, lobbies from stage, booth, house, or lobby
- 2x Ashley GQX 3102 Stereo Analog Graphic Equalizer

Facility Technical Specifications

Power:

- All local outlets are 15a
- Isolated ground power from any orange outlets

- 1x 100-amp 3 phase w/ camlocks (ground/neutral reversed) off stage right
- 1x 400-amp 3 phase tie in stage right
- 2x 100-amp 3 phase tie ins, one stage left and one-off stage right (Charges may apply; only authorized FE holders may tie-in to them)

Dressing Rooms & Green Room

- 5 dressing rooms located beneath stage: 2x ensemble rooms, 2x principal rooms, 1x overflow
- Spacious green room with sink and cupboards
- Principal dressing rooms with sinks, toilet, and shower
- Ensemble dressing rooms and overflow with sinks
- Additional, separate male and female washrooms with showers
- Access via 2 stairwells and an elevator

Laundry Room

- A washer and dryer are available, user supplies own cleaning products.

Video Equipment

Mainstage

- Christie D13WU-HS (12,000 Lumen) Rental charges apply On stage, flown movie screen, 23'8" high by 55' wide
- Denon Blu-ray/DVD Combo
- 1x HDMI Roland 4x4 Matrix

Studio

- Christie LWU620i WUXGA (6200 Lumen) Rental charges apply

Auxiliary Equipment

- Tables – (14) Rectangular 2'6" x 5' – Tables – (16) Round 5' diameter
- 80x black plastic chairs, stacking, no arms
- 150x upholstered chairs, stacking, arms, linkable
- 20x Music stands
- Genie AWP 30 personnel lift (Licensed operation only)
- Skyjack 20' scissor lift (Licensed operation only)
- Assorted ladders from 10' up to a 32' extension ladder
- Assorted dollies and hand trucks for material handling
- 14x Steel Deck Staging Risers 4'x8' (c/w legs @ 3'-2'-1' high and 1 stair unit)
- 8x Deck Castors
- 2x Wooden 4ft Lecterns

Piano: (Our tuner only)

- 1x 7' Grotian Steinweg Concert Grand (rental/tuning charges apply)

Facility “Bar and Catering” Services:

A full range of services for your event are available in-house or through our suppliers. Please consult with our rentals team to arrange the specific needs for your event.

Parking

Parking is available on the street or in the underground car park at Maple Ridge Town Centre. Access to the underground pay-parking lot is available from 224th street, Dewdney Trunk Road, or Edge Street. Additional parking is available in the pay lot on Edge Street as well. Please note that the ACT holds the parking gates open past 10pm on performance nights only. Anyone parked underground on non-performance nights past 10pm is responsible to get their vehicles out on time. The Arts Centre does not control parking gates. Parking is not available in our loading dock.

Only vehicles needing to load or unload may park there.

Time in the Building:

Your contracted time in the ACT facilities is noted on your contract. Please remember that any setup and technical rehearsals etc. are part of your contracted time. No setup will take place prior to your arrival unless specifically arranged in advance. The clock runs from when the setup for your event begins to when the stage is clean and the last person from your event has left the facility.

Additional charges will apply for anytime beyond the contract. We do our best to make the best use of your time while in the ACT. Please ask to see our operational procedures for all details related to bookings. This will help you prepare for your event.

Other Important Information:

Food and drinks are not permitted onstage, in the house or control rooms - Bottled water only. During setup and rehearsals, use of the house and lobby areas is not permitted, unless specifically arranged in advance. For larger groups of people, technical staff may appoint

1 or 2 people as Fire safety and Evacuation officers. These persons will be responsible to assist technical staff in the event the need to evacuate the building occurs.

In **ALL** cases, the Emergency meeting location for all cast and crew for an evacuation is in the **REAR PARKING LOT** located behind the theatre loading dock.

Various theatre staff is trained for first aid and kits are available throughout the building.

Please inform staff if any first aid services are required at any time.

Questions or a custom idea?

Please contact us!

ACTRentals@MapleRidge.ca

Website: [ACT Rentals](http://ACTRentals.com) | [Maple Ridge, BC](http://MapleRidgeBC.com)